

R15003005

Locking Tool Set PSA/Stellantis 1.0/1.2 (3-Cylinder)

**GEDORE Automotive GmbH**

Breslauer Straße 41
78166 - Donaueschingen
Postfach 1329
78154 Donaueschingen - GERMANY
☎ +49 (0) 771 / 8 32 23-0
✉ +49 (0) 771 / 8 32 23-90
✉ info.gam@gedore.com

**www.gedore-automotive.com**

07/2026

R15003005__260708_DE.indd

PRODUCT DESCRIPTION

R15003005 - Locking Tool Set PSA/Stellantis 1.0/1.2 (3-Cylinder)

Suitable for: Citroën, Peugeot, Fiat, Opel and Toyota 1.0 / 1.2 (VTi, e-VTi, THP, PureTech) 3-cylinder petrol engines from the EB series (PSA/Stellantis) with an internal timing belt drive in an oil bath.

With engine code: 1.0 = EB0, EB0F; 1.2 = EB2, EB2ADTD, EB2ADT, EB2ADTS, EB2ADTX, EB2D, EB2DT, EB2DTM, EB2DTS, EB2DTSM, EB2DTSO, EB2FA, EB2FAD, EB2FB, EB2F, EB2FD, EB2M.


Fitted in, for example: Citroën Berlingo (B9, K9), C1 (B4), C3 (A51, B618), C3 Aircross (A88), C3 Picasso (A58), C4 (B7, C41), C4 Cactus (A2), C4 Picasso/Spacetourer (B78), C4 X (C43), C5 Aircross (C84), C5 X (NCND), C-Elysée (A9); DS Automobiles DS 3 (A55), DS 3 Crossback (J41), DS 4 II (F3), DS 7 Crossback (J4); Peugeot 108 (P1), 208 I (A9), 208 II (P21), 2008 I (CU_), 2008 II (P24), 301 (M3), 308 II (T9), 308 III (P5), 3008 II (P84), 5008 II (P87); Fiat 600 (364, 365), Fiat Doblo (510, 511); Opel/Vauxhall Combo E (X19), Corsa F (P2JO), Crossland X (P17), Grandland X (A18), Mokka B (P2QO); Toyota Aygo (B40), ProAce City /-Verso (K9) and others.

To be used in a similar way to OE tools: 0109-2A, 0109-2B, 0109-2C, 0109-2D, 0109-2E, 0109-2E1, 0109-2E2, 0109-6, 0197-N, EN 52127-1, EN 52127-2.

Intended use: For the correct locking and adjustment of the engine timing.

Latest information about the tool: www.gedore-automotive.com

 **This tool must be used in accordance with the vehicle manufacturer's repair manual. Contrary to the use of the OE tool described in the repair manual, the locking tools included in this set are intended solely for locking purposes. They must not be used for counterholding, particularly when loosening or tightening the camshaft fasteners, as this may result in damage. Suitable counterholding tools must be used for these operations.**



Scope of delivery / Single part overview

Pos.	Description	Quantity	Used in a similar way to the OE tool:
A	Retaining tool for intake camshaft	1	0109-2C
B	Exhaust camshaft locking tool	1	0109-2D
C	Exhaust camshaft locking tool	1	0109-2E, 0109-2E1, 0109-2E2
D	Crank shaft counterholding spanner	1	0109-3, EN 52133
E	Cam shaft locking tool	1	0109-2A, EN 52127-1
F	Crank shaft locking pin	1	0109-2B, 0197-N, EN52127-2
G	Crank shaft locking pin	1	
H	Timing belt gauge	1	0109-6
-	Plastic case with foam insert	1	

Technical Data

Storage system:..... Plastic case with foam insert

Case dimensions:..... 470 x 330 x 100 mm (L x W x H)

Weight: 4.6 kg

SAFETY REGULATIONS AND INSTRUCTIONS

- ▶ This special tool must only be used by trained professionals in specialist vehicle workshops.
- ▶ These product instructions form part of the special tool. Please read and understand these instructions before using the special tool and follow all instructions, regulations as well as warnings to ensure that it is used correctly and safely.
- ▶ Use the special tool strictly for its intended purpose to avoid injury, and always carry out repair work on the vehicle in accordance with health and safety regulations and accident prevention guidelines, as well as the vehicle manufacturer's instructions.
- ▶ When carrying out vehicle-specific procedures, always follow the vehicle manufacturer's instructions and bear in mind that incorrect use can cause serious damage to the vehicle.
- ▶ Before each use, carefully check the special tool for damage, loose parts or unauthorised modifications, and never use it if any such defects are found.
- ▶ If you are unsure about how to use the special tool, stop work immediately, check your procedure and, if necessary, contact **GEDORE Automotive**.
- ▶ If your work requires it, you must always wear your personal protective equipment, such as safety goggles, protective gloves and safety footwear.
- ▶ Dispose of the special tools and packaging materials in an environmentally responsible manner, in accordance with legal requirements. If necessary, contact your local authority or **GEDORE Automotive** to enquire about environmentally friendly disposal options.
- ▶ The special tool must always be used in accordance with the safety regulations and instructions; in the event of non-compliance or misuse, the user assumes sole responsibility, and **GEDORE Automotive** excludes all liability, warranty or guarantee claims.
- ▶ The special tool and its use are described in detail in this manual; however, technical changes, errors, omissions, inaccuracies, mistakes, as well as damage or consequences resulting from incorrect use or misuse can never be ruled out.

GEDORE Automotive GmbH

Breslauer Str. 41
78166 Donaueschingen / GERMANY
Tel: +49 771 83 223 0
Fax: +49 771 83 223 90
www.gedore-automotive.com

GEDORE Headquarter:

GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheider Str. 149
42899 Remscheid / GERMANY
Tel: +49 2191 596 900
Fax: +49 2191 596 999
www.gedore.com

GEDORE International:

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12
71665 Vaihingen/Enz
GERMANY
Tel: +49 70 42 94 41 0
Fax: +49 70 42 9441 41
www.gedore-torque-solutions.com

GEDORE France SARL

Parc d'activités des Béthunes – La Mare II 10, avenue du Fief – Bâtiment 12
BP 79144 - Saint-Ouen-L'Aumône / 95074 CERGY PONTOISE CEDEX
FRANCE
Tél: +33 1 34 40 16 60
Fax: +33 1 34 40 16 61
www.gedore.fr

GEDORE Polska Sp. z o.o.

Żwirki i Wigury 56, Mikołów
POLAND
Tel: +48 32 738 40-10
Fax: +48 32 738 40-20
www.gedore.pl

GEDORE Tools South Africa (PTY) Ltd.

103 Qashana Khuzwayo Road, Durban / Kwazulu-Natal
New Germany, 3610
SOUTH AFRICA
Tel: +27 3 17 05 35 87
Fax: +27 3 17 05 47 35
www.gedore.co.za

GEDORE Tool Trading Co., Ltd. Shanghai, China

1/F, Block 2, 1358 Pingan Road
Minhang, Shanghai, China 201109
CHINA
Tel: +86 21 33 88 72-58
Fax: +86 21 33 88 72-59
www.gedore.cn

GEDORE Ibèrica S.L., Spain

c/Arangutxi 12, Poligono Industrial de Júndiz
01015 Vitoria Alava
SPAIN
Tel: +34 945 292 262
Fax: +34 945 292 199
www.gedore.es

GEDORE AUSTRIA GmbH

Gedore-Straße 1
8190 Birkfeld
AUSTRIA
Tel: +43 3174 3636 0
Fax: +43 31 74 36 38 320
www.gedore.at

GEDORE Technag BV, Netherlands

Flemingweg 7
2408 AV Alphen aan Den Rijn
NETHERLANDS
Tel: +31 1 72 42 73 50
Fax: +31 1 72 42 73 60
www.gedore.nl

GEDORE India Pvt. Ltd.

Plot No. 148, Sector-3, IMT Manesar
Gurugram, Haryana-122051
INDIA
Tel: +91 124 4087979
www.gedore.in

Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis, 275 Bairro Vicentina
São Leopoldo - RS - CEP: 93025-340
BRASIL
Tel: +51 35 89 92 00
Fax: +51 35 89 92 22
www.gedore.com.br

GEDORE UK Ltd.

Marton St, Skipton
North Yorkshire BD23 1TF
UNITED KINGDOM
Tel: +44 17 56 70 67 00
Fax: +44 17 56 79 80 83
www.gedoreuk.com

GEDORE Tools Inc. USA

300 Langner Rd., Suite 250
West Seneca, NY 14224
USA
Tel: +1 843 225 5015
www.gedoretools.com