

R15003006

Locking Tool Set, VW 1.0/1.2/1.4/1.6 (FSI, TSI, MPI)

**GEDORE Automotive GmbH**

Breslauer Straße 41
78166 - Donaueschingen
Postfach 1329
78154 Donaueschingen - GERMANY
☎ +49 (0) 771 / 8 32 23-0
☎ +49 (0) 771 / 8 32 23-90
✉ info.gam@gedore.com

**www.gedore-automotive.com**

07/2026

R15003006__260707_DE.indd

PRODUCT DESCRIPTION

R15003006 - Locking Tool Set, VW 1.0/1.2/1.4/1.6 (FSI, TSI, MPI)

Suitable for VW, Audi, Seat and Škoda models with 1.0 / 1.2 / 1.4 / 1.6 (FSI, TSI, TFSI, MPI) 3- and 4-cylinder petrol engines from the EA211 series.

Fitted to, for example: VW Beetle (5C), Caddy IV + Maxi (SA), Golf VI Cabrio (517), Golf VII (5G), Golf Sportsvan (AUV), Jetta (162, 163), Passat + CC (3G, 358), Polo (6R, 6C), Scirocco (138), Sharan (7N), Tiguan (5N), Tiguan (AD), Touran (5T), Up! (121, 122); AUDI A1 (8X), A3 (8V), A4 (8W), A5 (F5), Q2 (GA), Q3 (8U); SEAT Alhambra (711), Ateca (KH), Ibiza (6J, 6P), Ibiza (KJ), Leon + Leon ST (5F), Mii (KF), Toledo (KG); ŠKODA Citigo (NF), Fabia III (NJ), Kodiaq (NS), Octavia III (5E), Rapid (NH), Superb III (3V), Yeti (5L) and others...

Engine code: 1.0 = CHYA, CHYB, CHZJ, CHZL, CPGA, DAFA; 1.2 = CJZA, CJZB, CJZC, CJZD, CYVA, CYVB, CYVD; 1.4 = CHPA, CHPB, CMBA, CPTA, CPVA, CPVB, CPWA, CRJA, CUKB, CUKC, CVNA, CXSA, CXSB, CZCA, CZCC, CZDA, CZDB, CZEa; 1.6 = CWVA, CWVBA

- Locking tool set for securing the intake and exhaust camshafts as well as the flywheel, and for positioning the timing belt tensioner.
- Essential for correctly adjusting the timing when replacing the timing belt or overhauling the engine.
- To be used in the same way as OEM numbers T10060 A, T10340, T10476, T10476 A, T10477, T10487, T10494, T10499, T10504, T10504/1 and T10504/2.



Scope of delivery/Single part overview

Pos.	description	qty.	Alternative tool no.
A	Crankshaft locking pin	1	T10340
B	Special tool for camshafts	1	T10487
C	Tension wrench SW30	1	T10499
D	Camshaft locking tool	1	T10504
E	Camshaft locking tool	1	T10477
F	Camshaft locking tool	1	T10494
G	Camshaft locking tool	1	T10476, T10476A
H	Stake-out pins, short	1	T10504/1
I	Staking pegs, long in length	1	T10504/2
J	Locking pin, Ø.4 mm	1	T10060A
 Storage system: plastic storage case			

technical data

Weight: 3.8 kg

 SAFETY REGULATIONS and INSTRUCTIONS

- ▶ The special tool must only be used by trained specialists in specialist motor vehicle workshops.
- ▶ These product instructions form an integral part of the special tool. Please read and understand these instructions before using the special tool, and follow all instructions, as well as warnings and notes to ensure that it is used safely and for its intended purpose.
- ▶ To avoid injury, use the special tool strictly for its intended purpose, and always carry out repair work on the vehicle in accordance with health and safety regulations and accident prevention guidelines, as well as the vehicle manufacturer's instructions.
- ▶ When carrying out vehicle-specific procedures, always follow the vehicle manufacturer's instructions and bear in mind that incorrect use may result in serious damage to the vehicle.
- ▶ Before each use, carefully check the special tool for damage, loose parts or unauthorised modifications, and never use it if any such defects are found.
- ▶ If you are unsure about the application of the special tool, stop work immediately, check your procedure and, if necessary, contact **GEDORE Automotive**.
- ▶ When at work, if the nature of the task requires it, you must always wear your personal protective equipment, such as safety goggles, protective gloves and safety footwear.
- ▶ Dispose of the special tool and packaging material in an environmentally responsible manner, in accordance with legal requirements. If necessary, contact your local authority or **GEDORE Automotive** to enquire about environmentally friendly disposal options.
- ▶ The special tool must always be used in accordance with the safety regulations and instructions; in the event of non-compliance or misuse, the user assumes sole responsibility, and **GEDORE Automotive** excludes all claims for liability, warranty or guarantee.
- ▶ This manual provides a detailed description of the specialised tool and its application; however, technical changes, errors, omissions, inaccuracies, mistakes, as well as damage or consequences resulting from incorrect application or misuse can never be ruled out.

GEDORE Automotive GmbH

Breslauer Str. 41
78166 Donaueschingen / GERMANY
Tel: +49 771 83 223 0
Fax: +49 771 83 223 90
www.gedore-automotive.com

GEDORE Headquarter:

GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheider Str. 149
42899 Remscheid / GERMANY
Tel: +49 2191 596 900
Fax: +49 2191 596 999
www.gedore.com

GEDORE International:

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12
71665 Vaihingen/Enz
GERMANY
Tel: +49 70 42 94 41 0
Fax: +49 70 42 9441 41
www.gedore-torque-solutions.com

GEDORE France SARL

Parc d'activités des Béthunes – La Mare II 10, avenue du Fief – Bâtiment 12
BP 79144 - Saint-Ouen-L'Aumône / 95074 CERGY PONTOISE CEDEX
FRANCE
Tél: +33 1 34 40 16 60
Fax: +33 1 34 40 16 61
www.gedore.fr

GEDORE Polska Sp. z o.o.

Żwirki i Wigury 56, Mikołów
POLAND
Tel: +48 32 738 40-10
Fax: +48 32 738 40-20
www.gedore.pl

GEDORE Tools South Africa (PTY) Ltd.

103 Qashana Khuzwayo Road, Durban / Kwazulu-Natal
New Germany, 3610
SOUTH AFRICA
Tel: +27 3 17 05 35 87
Fax: +27 3 17 05 47 35
www.gedore.co.za

GEDORE Tool Trading Co., Ltd. Shanghai, China

1/F, Block 2, 1358 Pingan Road
Minhang, Shanghai, China 201109
CHINA
Tel: +86 21 33 88 72-58
Fax: +86 21 33 88 72-59
www.gedore.cn

GEDORE Ibèrica S.L., Spain

c/Arangutxi 12, Poligono Industrial de Júndiz
01015 Vitoria Alava
SPAIN
Tel: +34 945 292 262
Fax: +34 945 292 199
www.gedore.es

GEDORE AUSTRIA GmbH

Gedore-Straße 1
8190 Birkfeld
AUSTRIA
Tel: +43 3174 3636 0
Fax: +43 31 74 36 38 320
www.gedore.at

GEDORE Technag BV, Netherlands

Flemingweg 7
2408 AV Alphen aan Den Rijn
NETHERLANDS
Tel: +31 1 72 42 73 50
Fax: +31 1 72 42 73 60
www.gedore.nl

GEDORE India Pvt. Ltd.

Plot No. 148, Sector-3, IMT Manesar
Gurugram, Haryana-122051
INDIA
Tel: +91 124 4087979
www.gedore.in

Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis, 275 Bairro Vicentina
São Leopoldo - RS - CEP: 93025-340
BRASIL
Tel: +51 35 89 92 00
Fax: +51 35 89 92 22
www.gedore.com.br

GEDORE UK Ltd.

Marton St, Skipton
North Yorkshire BD23 1TF
UNITED KINGDOM
Tel: +44 17 56 70 67 00
Fax: +44 17 56 79 80 83
www.gedoreuk.com

GEDORE Tools Inc. USA

300 Langner Rd., Suite 250
West Seneca, NY 14224
USA
Tel: +1 843 225 5015
www.gedoretools.com